

**Safety Data Sheet**  
**W1009W**  
**Coolant Filters**

**SECTION 1 PRODUCT AND COMPANY IDENTIFICATION**

**Product Number:** WIX 24114, 24196, WS10119

**Trade Name and Synonyms:** Wix Coolant Filters

**Chemical Name and Synonyms:** Nitrite corrosion inhibitor

**Chemical Family:** Industrial water treatment

**Product Use:** Vehicle coolant treatment

**Restrictions on use:** Use only as directed

**SDS Date of Preparation:** June 15, 2016

**Details of the supplier of the safety data sheet:**

MANN+HUMMEL Filtration Technology US LLC  
1 Wix Way  
Gastonia, NC 28054

**Telephone Numbers**

Product Information: (704) 869-3869

Emergency Phone: (800) 424-9300 Chemtrec

**SECTION 2. HAZARD(S) IDENTIFICATION**

**Classification:**

This product is a manufactured article (vehicle coolant filter) containing solid pellets. The filter is sealed so no contact with the contents occurs during normal handling or use. Contact with the pellets from a broken filter may cause adverse effects and are classified as follows:

<b>Physical</b>	<b>Health</b>	<b>Environmental</b>
Not Hazardous	Acute Toxicity Category 3 (Oral) Skin Corrosion Category 1B Eye Damage Category 1 Specific Target Organ Toxicity Category 3 (Respiratory Irritation) Toxic to Reproduction Category 1B Carcinogen Category 1B	Hazardous to the Aquatic Environment Acute Hazard Category 1

**Labeling:**



**Danger!**

**Hazard statement(s)**

**Precautionary statement(s)**

**Safety Data Sheet**  
**W1009W**  
**Coolant Filters**

Toxic if swallowed.  
Causes severe skin burns and eye damage.  
May cause respiratory irritation.  
May cause cancer.  
May damage fertility or the unborn child.  
Very toxic to aquatic life.

**Prevention**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe dust.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
Avoid release to the environment.  
Wear protective gloves, protective clothing, eye protection and face protection.

**Response**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with soap and water. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.  
IF exposed or concerned: Get medical attention. Collect spillage.  
**Storage & Disposal**  
Store locked up.  
Dispose of contents and container in accordance with local and national regulations.

**SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical name	CAS No.	Concentration
Sodium Nitrite	7632-00-0	30-60%
Sodium Metasilicate	6834-92-0	10-30%
Benzotriazole	95-14-7	5-10%
Disodium Tetraborate, anhydrous	1330-43-4	1-5%
Phenolphthalein	77-09-8	<1%

**The specific identity and/or exact concentration has been withheld as a trade secret.**

**SECTION 4. FIRST-AID MEASURES**

**Safety Data Sheet**  
**W1009W**  
**Coolant Filters**

**Eye:** None expected under normal handling and use. If contact occurs with filter pellets, immediately flush eyes with large quantities of water for at least 20 minutes, holding the eyelids apart. Get immediate medical attention.

**Skin contact:** None expected with normal use. If contact with the filter pellets occurs, remove contaminated clothing. Wash skin with soap and water. Get immediate medical attention. .

**Inhalation:** None expected with normal use. If dust from tablet is inhaled, remove to fresh air. Get immediate medical attention.

**Ingestion:** None expected with normal use. If filter pellets, or dust is swallowed, do not induce vomiting. If conscious, rinse mouth with water. Never give anything by mouth to an unconscious or convulsing person. Get immediate medical attention.

**Most important symptoms/effects, acute and delayed:** None expected under normal conditions of use. The following applies to contact with the table if the coolant filter is broken and the tablet is exposed: Eye and skin contact may cause severe irritation or burns. Permanent eye damage may occur. Inhalation of dust may cause mucous membrane and respiratory tract irritation. Toxic if swallowed. Swallowing may cause burns to the digestive tract, central nervous system effects, cyanosis, convulsions and collapse. May cause cancer. May cause reproductive or developmental effects based on animal data.

**Indication of immediate medical attention and special treatment, if necessary:** Immediate medical attention is required for routes of exposure.

<b>SECTION 5. FIRE-FIGHTING MEASURES</b>
--

**Extinguishing Media:** Use water fog, foam, dry chemical or carbon dioxide to extinguish.

**Specific hazards arising from the chemical:** The tablet is not flammable or combustible. The tablet contains sodium nitrite which are oxidizers and can enhance the burning of other materials. Combustion may produce oxides of carbon, nitrogen, boron and sodium.

**Special protective equipment and precautions for fire-fighters:** Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing. Cool fire exposed containers and structures with water. This material is toxic to aquatic organisms. Fire water contaminated with this material must be contained.

<b>SECTION 6. ACCIDENTAL RELEASE MEASURES</b>
---

**Personal precautions, protective equipment, and emergency procedures:** Use appropriate protective clothing and equipment during clean-up.

**Environmental hazards:** Avoid release into the environment. Report spill as required by local and federal regulations.

**Methods and materials for containment and cleaning up:** If filter is not damaged, pick up and keep for use. If the filter is damaged and the tablet is released, collect in a manner that minimizes the generation of airborne dust. Place collected material into suitable containers for disposal.

<b>SECTION 7. HANDLING AND STORAGE</b>
--

**Safety Data Sheet**  
**W1009W**  
**Coolant Filters**

**Precautions for safe handling:** Handle filters in a manner that minimizes the risk of damage and release of contents. In handling damaged filters, avoid generating and breathing dusts. Prevent contact with eyes. Avoid contact with skin and clothing.

**Conditions for safe storage, including any incompatibilities:** Store in a cool, dry, well-ventilated area away from combustible materials, acids and other incompatible materials.

<b>SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION</b>
---

**Exposure guidelines:**

Sodium Nitrite	None Established
Sodium Metasilicate	None Established
Benzotriazole	None Established
Disodium Tetraborate, anhydrous	2 mg/m <sup>3</sup> TWA, 6 mg/m <sup>3</sup> STEL ACGIH TLV (inhalable)
Phenolphthalein	None Established

**Appropriate engineering controls:** No special engineering controls are required for handling undamaged filters.

**Personal Protective Equipment**

**Respiratory protection:** None required under normal conditions of use. For operations where exposures are excessive or irritation is experienced, a NIOSH approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow OSHA 1910.134 and good Industrial Hygiene practice.

**Skin protection:** None required under normal conditions of use. Wear rubber or other impervious gloves when handling damaged filters or tablets.

**Eye protection:** None required under normal conditions of use. Safety goggles required for handling damaged filters or tablets.

<b>SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES</b>
--

The following physical characteristics are for the pellets only.

**Appearance (physical state, color, etc.):** White to yellowish briquette inside a coolant filter

**Odor:** No odor.

<b>Odor threshold:</b> Not available	<b>pH:</b> Not available
<b>Melting point/freezing point:</b> Not available	<b>Boiling point/Range:</b> Not applicable
<b>Flash point:</b> Not applicable	<b>Evaporation rate:</b> Not applicable
<b>Flammability (solid, gas):</b> Not flammable	
<b>Flammable limits: LEL:</b> Not applicable	<b>UEL:</b> Not applicable
<b>Vapor pressure:</b> Not available	<b>Vapor density:</b> Not applicable
<b>Relative density:</b> Not available	<b>Solubility(ies):</b> Completely soluble in water
<b>Partition coefficient: n-ctanol/water:</b> Not applicable	<b>Auto-ignition temperature:</b>
<b>Decomposition temperature:</b> Not available	<b>Viscosity:</b> Not applicable

**Safety Data Sheet**  
**W1009W**  
**Coolant Filters**

**SECTION 10. STABILITY AND REACTIVITY**

**Reactivity:** Pellets may ignite in contact with organic materials.

**Chemical stability:** Stable under normal storage and handling conditions.

**Possibility of hazardous reactions:** None expected under normal use conditions.

**Conditions to avoid:** Avoid extreme heat.

**Incompatible materials:** Incompatible with strong acids and strong bases.

**Hazardous decomposition products:** Thermal decomposition may produce oxides of carbon, nitrogen, boron and sodium.

**SECTION 11. TOXICOLOGICAL INFORMATION**

**Potential Health Effects:** Handling undamaged filters will not result in adverse effects. The following information pertains to exposure to the coolant treatment tablets.

**Eye contact:** May cause severe irritation or burns with redness, tearing and pain. Permanent damage can occur.

**Skin contact:** May cause severe irritation or burns. Sodium nitrite may be harmful if absorbed through the skin. Phenolphthalein has been shown to cause sensitization in humans.

**Inhalation:** Dust may cause irritation of the mucous membranes and upper respiratory tract. Absorption may cause effects similar to those described under ingestion.

**Ingestion:** Toxic if swallowed. May cause burns to the mouth and throat, dizziness, nausea, vomiting, low blood pressure, cyanosis, rapid heartbeat, convulsions and collapse.

**Chronic effects:** Prolonged over exposure may cause nervous system effects, chronic diarrhea, liver damage, kidney damage and effects on the blood.

**Reproductive Toxicity:** In a five generation reproduction toxicity study, phenolphthalein was administered to mice orally. Examination of offspring showed a reduction in testis weight and sperm count, and decreased number of births due to decreased pregnancy rate, and decrease in body weight of progeny. Borate compounds cause adverse reproductive effects in laboratory animals.

**Germ Cell Mutagenicity:** Phenolphthalein was negative in the AMES test but showed positive results in a chromosome aberration assay in human embryo cells. Similar tests in Chinese hamster ovary cells were not positive. It is suggested that phenolphthalein acts as a promutagen and must be metabolically activated to exert its clastogenic effect.

**Carcinogenicity:** Phenolphthalein is listed by IATA as "Possibly Carcinogenic to Humans, Group 2B and by NTP as "Reasonably Anticipated to be a Human Carcinogen". None of the other components of this product present at 0.1% or greater are listed as carcinogens by IARC, NTP or OSHA.

**Acute Toxicity Values:**

Acute Toxicity Estimate for the Product: Oral: 142.8 mg/kg, Dermal >2000 mg/kg

Sodium Nitrite: Oral rat LD50 85 mg/kg

Sodium Metasilicate: Oral rat LD50 1890 mg/kg, Inhalation rat LC50 >2.06 mg/L/4 hr (no deaths occurred), Dermal rat LD50 >5000 mg/kg.

Benzotriazole: Oral rat LD50 500 mg/kg, Dermal rabbit LD50 >2000 mg/kg

Disodium Tetraborate: Oral rat LD50 3450 mg/kg, Inhalation rat LC50 >2.03 mg/L/4 hr (no deaths occurred),

Phenolphthalein: No toxicity data available

**Safety Data Sheet  
W1009W  
Coolant Filters**

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity:**

Sodium Nitrite: 96 hr LD50 Oncorhynchus mykiss 0.54 mg/L, 48 hr EC50 daphnia magna 15.4 mg/L, 72 hr EC50 Desmodemus subspicatus >100 mg/L

Sodium Metasilicate: 96 hr LC50 Gambusia affinis 2350 mg/kg, 48 hr EC50 daphnia magna 1700 mg/L, 72 hr EC50 Desmodemus subspicatus 207 mg/L

Benzotriazole: 96 hr LC50 Danio rerio 180 mg/L, 48 hr EC50 Daphnia galeata 8.58 mg/L, 72 hr EC50 Selenastrum capricornutum 75 mg/L

Disodium Tetraborate: 96 hr LC50 Limanda 74 mg/L

Phenolphthalein: 48 hr EC50 daphnia magna >100 mg/L, 72 hr EC50 Desmodemus subspicatus 8.9 mg/L

**Persistence and degradability:** Biodegradation is not applicable to inorganic substances.

**Bioaccumulative potential:** No data available.

**Mobility in soil:** No data available.

**Other adverse effects:** This product is expected to be very toxic to aquatic life and harmful to aquatic life with long lasting effects.

**SECTION 13. DISPOSAL CONSIDERATIONS**

Dispose in accordance with all local, state and federal regulations.

**SECTION 14. TRANSPORT INFORMATION**

	UN Number	Proper shipping name	Hazard Class	Packing Group	Environmental Hazard
<b>DOT</b>	UN2923	Corrosive solids, toxic, n.o.s. (contains disodium trioxosilicate, sodium nitrite)	8 (6.1)	PGIII	RQ 180 lbs
<b>TDG</b>	UN2923	Corrosive solids, toxic, n.o.s. (contains disodium trioxosilicate, sodium nitrite)	8 (6.1)	PGIII	Marine Pollutant
<b>IMDG</b>	UN2923	Corrosive solids, toxic, n.o.s. (contains disodium trioxosilicate, sodium nitrite)	8 (6.1)	PGIII	Marine Pollutant

**Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):** Not applicable – product is transported only in packaged form.

**Special precautions:** None known

**SECTION 15. REGULATORY INFORMATION**

**Safety, health, and environmental regulations specific for the product in question.**

**Safety Data Sheet**  
**W1009W**  
**Coolant Filters**

**CERCLA 103 Reportable Quantity:** The tablets have a reportable quantity of 180 lbs based on percentage of sodium nitrite with an RQ of 100 lbs. Many states have more stringent reporting requirements. Report releases as required by all federal, state and local authorities.

**SARA TITLE III:**

**Hazard Category for Section 311/312:** Acute health

**SARA 313:** This product contains the following chemicals subject to SARA Title III Section 313 Reporting requirements:

Sodium nitrite	7632-0-0	30-60%
Phenolphthalein:	77-09-8	0.1-1%

**Section 302 Extremely Hazardous Substances (TPQ):** None

**EPA Toxic Substances Control Act (TSCA) Status:** All of the components of this product are listed on the TSCA inventory.

**California Proposition 65:** This product contain the following chemicals are known to the State of California to cause cancer or reproductive toxicity:

Phenolphthalein	77-09-8	0.1-1%	Cancer
Ethylene Oxide	75-21-8	trace	Cancer, developmental , male reproductive toxicity, female reproductive toxicity

<b>SECTION 16. OTHER INFORMATION</b>
--------------------------------------

**NFPA Rating:** Health = 3      Flammability = 0      Instability = 1  
**HMIS Rating:** Health = 3\*      Flammability = 0      Physical Hazard =1  
\*Chronic Health Hazard

**SDS Revision History:** Changed manufacturer name from “Wix Filtration Products Division, Affinia Group” to “MANN+HUMMEL Filtration Technology US LLC ”. Changed address from PO Box 1967 Gastonia, NC 28053 to 1 Wix Way Gastonia, NC 28054

**Date of preparation:** June 15, 2016  
**Date of last revision:** January 11, 2016

The information is believed to be accurate and represents the best information currently available to us. WE MAKE NO WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, WITH RESPECT TO SUCH INFORMATION. We assume no liability resulting from its use. Users should conduct their own investigations to determine the suitability of the information for their own particular application and purpose.

**Safety Data Sheet**  
**W1009W**  
**Coolant Filters**

**Revision History**

<b>Product</b>	<b>Type</b>	<b>Chemical Name</b>	
W1009	Water Filters w/ Pellets/Powder/Paste	Nitrite corrosion inhibitor	
<b>Revision</b>	<b>Description</b>	<b>Effective Date</b>	<b>Signed</b>
A	Revised phone number.	2/3/14	Carmen Reich
B	Converted to GHS Format	4/30/15	Angela Rath
C	Section 2 Classification, Pictogram, hazard Statements, Precautionary Statements, Section 4 All Sections Section 5 Specific Hazard Arising from the Chemical, Section 9 Relative Density, Section 11 Acute Toxicity Estimate, Section 14 RQ, Section 15 CERCLA 103 Reportable Quantity, Section 16 HMIS & NFPA Ratings	10/1/15	Angela Rath
D	Section 1, Product Code, Section 2 Classification, Hazard Statements, Section 3 Composition, Section 5 Specific Hazard Arising from the Chemical, Section 8 Exposure Limits, Section 10 Hazardous decomposition products, Section 11 Acute Toxicity values, Section 12 Ecotoxicity data	1/11/16	Angela Rath
E	Changed manufacturer name from "Wix Filtration Products Division, Affinia Group" to "MANN+HUMMEL Filtration Technology US LLC ". Changed address from PO Box 1967 Gastonia, NC 28053 to 1 Wix Way Gastonia, NC 28054	6/15/2016	Ethan Voss